

Index

Symbols

/ (forward slash), 540
-- (double dash), 378–379, 382
; (semicolon), 119, 269, 270, 512
! (exclamation mark), 569–571
!! (double exclamation mark), 129
? (question mark), 550
.(dot), 66, 271
 PATH environment variable, 149
 regular expressions, 542–543
 relative filepaths, 58
' (closing quotation mark), 508
((*expression*)) (double parentheses command), 325–326
[] (square brackets), 543–545
{ } (braces), 510, 551–553
* (asterisk), 536, 548–549
 default case, 480
\ (backslash character), 755
& (ampersand), 427–428, 433, 576
` (backtick character), 277
^ (caret character), 540–541
+ (plus sign), 551
< (less than), 280
<< (double less-than symbol), 281
= (equal sign)
 gawk, 598–599
 sed, 529
| (pipe character), 106, 553
| (vertical line), 282
~ (tilde), 56, 603–604
\$(), 578–579, 727
\$ (dollar sign)
 anchor character, 541–542
 environment variables, 137
 sed, 582
 special address, 570
\$(\$#), 372–373
\$?, 453, 454–455, 696

\$@, 373–375
\$*, 373–375
\$#, 371–373
.. (double dot), relative filepaths, 58
(pound sign), in shell scripts, 270–271
\$() format, 277, 367
\$? special variable, 292
\$\$ variable, 432
[[*expression*]] (double bracket command), 326–327
> (greater than), 279
&>, 399
>> (double greater than), 280, 397
\$0, 368, 456, 511
\$1, 366, 511–512
1>, 399
\$2, 511
2>, 399

A

absolute directory references, 56–57, 66
access permission triplets, 176–177
accounts
 creating multiple, 361–362
 managing, 656–673
 creating script for, 665–671
 determining existence, 661–662
 finding files, 664–665
 getting name, 657–660
 removing account, 665
 removing processes, 662–664
 running script for, 671–673
 verifying name, 660–661
MySQL, 687–688
root, 163
 changing file ownership, 182
 /etc/shadow file, 164
 mounting media, 97
 system, 163
 groups, 173
 user, 161
address pattern, 574
addresses
 e-mail, 558–560
 range, 584
 sed, 518–521, 752–753
 grouping, 520–521
 numeric, 519–520
 text pattern filters, 520
 web, 721, 723–726
aging passwords, 171–172
AIX Unix, 191
alias, 131–132, 157, 234
Almquist, Kenneth, 623
Almquist shell, 623
anacron, 443–445
anchor characters
 ^ (caret character), 540–541
 \$ (dollar sign), 541–542, 582
 combining, 542
append command, 754
append command, 523–525
apt-cache, 212
apt-cache show, 243
apt-get, 212
apt-get install, 244
aptitude, 212
 installing software packages, 215–217
 main window, 213
 managing packages, 212–215
 repositories, 219–220
 uninstalling software, 218–219
 updating software, 217–218
aptitude dist-upgrade, 218
aptitude full-upgrade, 218

aptitude install, 216
 aptitude purge, 218
 aptitude safe-update, 217
 aptitude safe-upgrade,
 217–218
 aptitude search, 215
 aptitude show, 213–214
 archiving data, 110–111
 daily archive script
 creating, 649–651
 running, 651–652
 hourly archive script
 creating, 652–655
 running, 655–656
 scripting, 645–656
 configuration file, 646–648
 creating daily archive
 location, 648–649
 ARGV variable, 595–596
 ARGV variable, 595–596
 arrays
 associative, 596, 600
 functions, 461–464
 passing, 461–463
 returning, 463–464
 gawk, 600–602
 deleting, 601–602
 iteration through, 601–602
 variable assignment,
 600–601
 variable, 158–159
 ASCII character ordering, 312
 ash shell, 10, 114, 623
 asort, 616
 asorti, 616
 assignment statement, 598
 associative array, 596, 600
 asterisk, 548–549
 at, 438–441
 atd, 438
 Athena(Xaw), 25
 atq, 440–441
 atrm, 441
 AT&T Unix, 86, 89
 awk, 509. *See also* gawk

B

background jobs, 429–430
 background mode
 commands, 121–123

 process lists, 123–124
 scripts, 427–429
 backslash character, 755
 backtick character, 277
 backups, 202
 basename, 368
 bash, 116, 677
 bash calculator (bc), 288–292
 bash –help, 118
 bash shell, 10, 624
 Bourne variables, 144
 command line parameters,
 118
 commands
 built-in, 127, 739–741
 common, 741–744
 environment variables,
 744–749
 as default shell, 113–114
 environment variables,
 144–148
 conventions, 139
 default, 744–749
 types, 135
 EOF key combination, 511
 external commands,
 742–744
 hidden files, 60
 job control, 434
 line numbers, 582
 manual, 49–52
 mathematical operations,
 287–288
 referencing current directory,
 271
 signaling, 419–420
 starting, 47–48
 using prompt, 48–49
 BASH_ENV environment variable,
 156, 157
 .bash_history, 129–130
 .bash_login file, 445
 .bash_profile file, 445
 .bashrc file, 156, 445
 function definition in,
 468–470
 directly defining, 469
 sourcing function files,
 469–470
 locations, 153, 157
 batch, 439

bc, 288–292
 BEGIN keyword, 514–516, 602
 Bell Labs, 86
 Berkeley Software Distribution
 (BSD), 89
 bg, 435
 /bin/bash, 624
 /bin/sh, 114, 115, 624
 bitwise manipulation, 614
 block device files, 7
 block preallocation, 190
 Boolean operators, 324–325
 Bourne shell, 10, 623
 mathematical operations, 285,
 287
 brackets
 double, 326–327
 math, 287–288
 pattern matching, 326–327
 square, 543–545
 branch command, 572–574
 BRE. *See* POSIX Basic Regular
 Expression engine
 break command, 352–354, 378
 text menus, 482
 break statement, 608
 broken dependencies,
 225–227
 BSD. *See* Berkeley Software
 Distribution
 B-tree filesystem, 192
 Btrfs filesystem, 192
 buffers
 emacs, 248–249
 scrollback, 39
 built-in commands
 bash, 127, 739–741
 dash shell, 628–629
 reviewing, 739–741
 shell, 125–132
 zsh, 633–638
 add-in modules, 636–637
 core, 634–636
 viewing, adding, removing
 modules, 637–638
 built-in variables, gawk, 592–600,
 759–760
 Burrows-Wheeler block
 sorting text
 compression, 109
 bzip2, 109

C

- C shell, 114
- Canonical, 13
- case command, 327–329
- case sensitivity
 - environment variables, 139
 - regular expressions, 538
- case statement
 - default case, 480
 - menu functions, 479
 - menu logic, 480–481
 - processing options, 377, 380
 - removing account processes, 662–663
 - shell script menus, 477
 - zsh, 641
- cat, 78–79, 391, 396, 397
- cd, 55–58, 127
- CDs, ejecting, 99
- CentOS, 13, 14, 19, 29, 114, 710
 - /etc/profile, 152–153
 - Konsole terminal, 36
- chage, 170–172
- change command, 525–526
- changing ownership, 181–182
- character classes, 543–545
 - negating, 546
 - special, 547–548
- character device files, 7
- character mode, 409
- characters
 - anchor
 - ^ (caret character), 540–541
 - \$ (dollar sign), 541–542, 582
 - combining, 542
 - ASCII ordering, 312
 - dot, 542–543
 - EOF, 291–292, 511
 - escape, 286, 334, 539–540
 - field separation, 511, 592, 729
 - ranges, 546–547
 - regular expressions, 537–549
 - anchor, 540–542
 - asterisk, 548–549
 - braces, 551–553
 - character classes, 543–545
 - dot character, 542–543
 - escape, 539–540
 - negating character classes, 546
 - pipe symbol, 553
 - plain text, 537–539
 - plus sign, 551
 - question mark, 550
 - ranges, 546–547
 - special, 539–540
 - special character classes, 547–548
 - replacing with sed, 518
 - shell escape, 286
 - special, 539–540
 - dot character, 542–543
 - transforming with sed, 527
- wildcard, 63, 535–536
 - aptitude search, 215
 - cron tables, 442
 - killall command, 96
 - reading directory using, 339–340
 - replacement strings, 575–576
 - string parameter
 - expansion, 724–725
- checking filesystems, 198–200
- checklist widget, 497
- chfn, 170–172
- chgrp, 181–182, 184
- child process
 - forking, 126, 127
 - user-defined local variables, 140
- child shell
 - parent relationships, 115–125
 - user-defined variables
 - global, 141–142
 - local, 139–140
- chmod, 179–181, 183, 320, 677, 693
- chown, 181–182
- chpasswd, 169–170
- chsh, 170–172
- clear command, 478, 480
- CLI. *See* command line interface
- client, 25
- clone, 192
- closing file descriptors, 407–408
- combining anchors, 542
- command aliases, 131–132, 157, 234
- command grouping, 120
- command line interface (CLI), 23, 48, 269
 - accessing via graphical terminal emulation, 28–29
 - accessing via Linux console terminal, 25–28
 - functions, 467–470
 - creating on, 468
 - gawk, 510–511
 - variable assignment, 599–600, 760
 - Lynx, 699–700
 - Mailx, 705
 - prompt, 48–49
 - sed, 506–508
 - using web from, 697–704
- command line mode, 237
- command line options, 376–386
 - getopt command, 380–384
 - getopts command, 381, 384–386
 - processing, 377
 - with values, 379–380
 - separating from parameters, 378–379
 - standardizing, 387
 - zsh, 632–633
- command line parameters, 365–370
 - bash shell, 118
 - counting, 371–373
 - dash shell, 624–625
 - gawk, 598–599
 - getopt command, 380–384
 - getopts command, 381, 384–386
 - iterating with for statement, 373–375
 - reading, 366–368
 - script name, 368–370
 - shifting, 375–376
 - special variables, 371–375
 - testing, 370
 - useradd, 166–167
 - xterm, 43–44
 - zsh, 632–633
- command modules, 632
 - add-in, 636–637
 - viewing, adding, removing, 637–638

command substitution
 backtick, 282
 subshells, 279
 variables, 277–279
commands. *See also specific commands*
 background mode, 121–123
 external, 125–127
 bash shell, 742–744
 history, 128–131
 lists of, 119–121
 reading values from, 336–337
 shell built-in, 125–132
 bash shell, 127, 739–741
 dash shell, 628–629
 zsh, 633–638
 structured
 gawk, 605–609
 zsh, 640–641
comma-separated value files, 361
common bash commands, 741–744
Compiz, 25
compound testing, 324–325
compress, 109
compressing data, 108–110, 646
conditions, 305
configure, 230–231
consecutive blank lines, 584–585
console terminals, 24
continue command, 355–357
continue statement, 608
cookies, 699
coproc, 124–125
co-processes, 121, 124–125
copying files, 65–67
copy-on-write (COW), 192
copy-on-write filesystems, 192
coreutils, 9
COW. *See* copy-on-write
cp, 65–67, 70
CPU utilization, 94
CREATE DATABASE *name*; , 686
creating directories, 73–74
creating files, 64–65
creating filesystems, 196–198
cron, 438, 441–443, 721
cron directories, 443
cron tables, 655, 671
 building, 442–443

 looking at, 441–442
crontab, 442–443
csh, 114
 .csv files, 361
curl, 732–734
curly braces, 551–553
curses, 699

D
dash, 114
dash shell, 115, 623–624
 built-in commands, 628–629
 command line parameters,
 624–625
 environment variables,
 625–628
 user-defined, 627
 features, 624–629
 positional parameters, 627
 scripting, 629–631
 arithmetic, 629–630
 function command, 631
 test command, 630–631
data blocks, 188–189
data constraints, 689
data field variables, 511–512, 592,
 603
data fields, 688
data files
 archiving, 110–111, 645–656
 configuration file, 646–648
 creating location for,
 648–649
 daily script, 649–652
 hourly script, 652–656
 scripting, 645–656
 compressing, 108–110, 646
 looping on, 350–351
 searching, 107–108
 sorting, 102–106
 working with, 102–111
data mode journaling, 189, 190
data types, MySQL, 689
databases
 creating, 685–686
 relational, 688
 using in scripts, 692–697
date, 269–270, 652, 655, 727

deb, 220
Debian, 18
 dash shell, 623–624
 package management, 212–220
deb-src, 220
DEC. *See* Digital Equipment
 Corporation
default exit status, 453–454
default file permissions, 177–179
default group, 322
default interactive shell, 114–115
default shell program, 113
default system shell, 114
DELETE, 690–691
delete command, sed, 521–523,
 729
deleting directories, 74–77
deleting files, 72–73
deleting lines, 584–586
dependencies, 211
 broken, 225–227
desktop environment, 11–17,
 25
 GNOME desktop, 13
 KDE, 12–13
 Unity desktop, 13–14
/dev/hdx, 193
device drivers, 7
device files, 7
device names, hard drives, 193
/dev/sdx, 193
df, 100, 495
dialog command, 484–485
 scripting, 493–495
 specifying widget, 485
dialog package, 484–491
 options, 491–493
 output, 485
 using in script, 493–495
 widgets, 484–485
 fselect, 490, 491
 inputbox, 487–488
 menu, 489–490
 msgbox, 486
 textbox, 488–489
 yesno, 487
Dickey, Thomas, 484
Digital Equipment Corporation
 (DEC), 41

- directories
 - absolute references, 56–57, 66
 - common names, 54–55
 - counting files, 554–555
 - creating, 73–74
 - cron, 443
 - deleting, 74–77
 - file comparisons using, 314–315
 - HOME, 164–167, 271
 - \$HOME/bin, 271
 - listing, 59–64
 - managing, 73–77
 - parent, 74
 - reading using wildcards, 339–340
 - referencing current, 271
 - relative references, 57–59, 66
 - root, 53
 - temporary, 413–414
 - /tmp, 411
 - traversing, 55–59
 - /usr/sbin, 165
 - virtual, 53, 57
 - mounting media, 98
 - disk blocks, 189
 - disk space
 - checking usage with du, 101–102
 - checking with df, 100
 - monitoring, 96–102
 - scripting, 673–678
 - diskmail, 707
 - display server, 25
 - displaying messages, scripting, 272–273
 - distribution, 17
 - do statement, 331–332
 - docking, 21
 - done command, 358
 - done statement, 331–332
 - dot operator, 271, 467, 469
 - dot special character, 542–543
 - double bracket command, 326–327
 - double less-than symbol, 281
 - double line spacing, 579–580
 - double parentheses command, 325–326
 - do-while statement, 608–609
 - dpkg, 212, 220
 - package information, 214–215
 - du, 101–102, 673–675
 - dumb terminal, 23
 - dyne:bolic, 19, 21
- ## E
- echo \$BASH_SUBSHELL, 120
 - echo command, 127, 272–273, 406
 - background process list, 123–124
 - en option, 479
 - environment variables, 137
 - menu layouts, 478–479
 - n parameter, 273
 - echo \$my_variable, 139–140
 - editors. *See also* gawk; sed editor
 - emacs, 242–251
 - basics, 245–247
 - buffers, 248–249
 - on console, 245–250
 - copying and pasting, 247
 - editing, 247
 - in GUI, 250–251
 - installing, 244
 - searching and replacing, 248
 - windows, 249–250
 - Kate, 256–260
 - sessions, 257
 - terminal window, 257–258
 - nano, 240–242
 - stream, 505–506
 - vim, 233–240
 - basics, 235–237
 - copying and pasting, 238–239
 - editing, 238
 - installing, 235
 - modes, 236–237
 - searching and substituting, 239–240
 - visual mode, 239
 - elif statement, 302–304
 - else clause, 303–304, 606
 - test command, 305
 - emacs, 242–251
 - basics, 245–247
 - buffers, 248–249
 - copying and pasting, 247
 - editing, 247
 - installing, 244
 - searching and replacing, 248
 - on console, 245–250
 - in GUI, 250–251
 - windows, 249–250
 - e-mail, 704–707
 - SMS gateways, 734–735
 - e-mail addresses, parsing, 558–560
 - empty files, 318–319
 - END keyword, 515, 602
 - env, 136–137, 138
 - ENVIRON variable, 596
 - environment files, 150
 - environment variable
 - OPTARG, 384
 - OPTIND, 384, 386
 - PATH, 165, 271, 359
 - environment variables, 135–138
 - \$ (dollar sign), 137
 - arrays, 158–159
 - bash shell, 144–148
 - commands, 744–749
 - conventions, 139
 - default, 744–749
 - types, 135
 - BASH_ENV, 156, 157
 - capturing database data, 696–697
 - case sensitivity, 139
 - dash shell, 625–628
 - user-defined, 627
 - echo command, 137
 - in gawk, 596
 - global, 136–137
 - setting, 140–142
 - IFS, 350–351
 - local, 138
 - setting, 139–140
 - LS_COLORS, 59
 - PAM, 151
 - PATH, 148–150
 - persisting, 157

environment variables (*continued*)
 removing, 142–143
 scripting, 274–275
 subshell, 142
 global, 137
 system, 136, 150–157
 interactive shell, 156
 locating, 150–157
 login shell, 150–155
 non-interactive shell, 156–157
 types, 135
 user-defined, 138–142
 EOF text string, 291–292
 bash key combination, 511
 mysql scripting, 694
 epoch time, 617
 equal sign command, 529
 ERE. *See* POSIX Extended Regular Expression engine
 error messages, 398
 escape character, 286, 334
 regular expressions, 539–540
 /etc/apt/sources.list, 219
 /etc/bash.bashrc, 153
 /etc/cron.hourly, 444
 /etc/cron.monthly, 444
 /etc/fstab, 199
 /etc/group file, 173
 /etc/init.d folder, 6
 /etc/inittabs file, 6
 /etc/login.defs, umask values, 179
 /etc/lynx.cfg, 700
 /etc/passwd, 113, 162–164, 168, 301–302, 661
 information in comments field, 170–171
 processing data in, 350–351
 /etc/profile, 150–154, 157
 CentOS, 152–153
 Ubuntu Linux, 151
 umask values, 179
 /etc/profile.d, 153–154, 157
 /etc/rcX.d folders, 6
 /etc/shadow, 164
 /etc/skel directory, 164
 /etc/yum.conf, 222
 /etc/yum.repos.d, 228
 Eterm, 29

excuse generator, 731–737
 creating script, 735–737
 e-mail to SMS gateways, 734–735
 sending SMS message, 732–734
 exec, 402, 404, 406, 647, 676
 executable files, 321
 finding, 359–360
 execute privilege, 651
 exit, 119, 127, 421–422
 exit command, 293–295
 EXIT signal, 423–424
 exit status
 codes
 checking, 292–293
 dialog widget output, 485
 test command, 305
 default, 453–454
 ps, 662
 exiting scripts, 292–295
 export, 141–142, 143
 expr command, 285–286, 629
 ext filesystem, 8, 188
 ext2 filesystem, 8, 188–189
 ext3 filesystem, 8, 190
 ext4 filesystem, 8, 190, 201
 extended filesystem. *See* ext filesystem
 extended partition, 195
 extended regular expressions, 537, 549–554
 Extensible Markup Language (XML), 697
 extents, 190
 external commands, 125–127
 bash shell, 742–744
 eztexting.com, 732

F

Falstad, Paul, 632
 fdisk, 193–196, 203
 commands, 194
 t command, 203–204
 Fedora Linux, 17, 29, 212
 package management, 221
 Wayland display server, 11
 fg, 435
 FHS. *See* Filesystem Hierarchy Standard

field separation character, 511, 592, 729
 field separators, internal, 337–338
 FIELDWIDTHS variable, 593–594
 file, 77–78
 file descriptor, 395
 closing, 407–408
 creating input, 405–406
 creating output, 403–404
 listing open, 408–410
 read/write, 406–407
 redirecting, 404–405
 file descriptors, standard, 395–398
 file globbing, 63, 339
 file paths, 53
 file permissions, 161, 175–179
 changing, 179–181
 codes, 177–179
 default, 177–179
 Octal mode, 178
 symbols, 176–177
 file redirection, 416, 694
 files
 account, 664–665
 comparisons
 checking directories, 314–315
 checking for file, 316–317
 checking for object existence, 315–316
 date, 322–324
 default group, 322
 execute permission, 321
 ownership, 321–322
 read access, 317–318
 write permission, 319–320
 copying, 65–67
 creating, 64–65
 data, working with, 102–111
 date, 322–324
 default group, 322
 deleting, 72–73
 executable, finding, 359–360
 handling, 64–73
 hidden, 60
 linking, 68–70
 listing, 59–64
 basic, 59–61
 filtering output, 62–64

- long, 61–62
 - looping on data, 350–351
 - numbering lines in, 581–582
 - ownership, 321–322
 - changing, 181–182
 - printing last lines, 582–584
 - reading editor commands
 - from, 508–509, 755–756
 - reading gawk scripts from, 513–514, 757
 - redirecting loop output to, 358
 - removing, 72–73
 - renaming, 70–72
 - script, creating, 270–272
 - sed using, 530–533
 - reading, 531–533
 - writing, 530–531
 - sharing, 182–184
 - spacing with double lines, 579–581
 - startup, 445
 - temporary, 411–414
 - viewing contents, 77–83
 - file type, 77–78
 - parts of files, 81–83
 - whole file, 78–81
 - Filesystem Hierarchy Standard (FHS), 55
 - filesystems, 8, 187
 - basic, 188–189
 - checking and repairing, 198–200
 - checking available types, 196–197
 - checking disk space usage, 100
 - copy-on-write, 192
 - creating, 196–198, 208–209
 - journaling, 189–192, 197
 - methods, 189–190
 - management, 8–9
 - mounting media, 97
 - mounting new, 197–198
 - navigating, 52–59
 - absolute directory
 - references, 56–57
 - relative directory
 - references, 57–59
 - traversing directories, 55–59
 - partitions
 - creating, 193–196
 - extended, 195
 - primary, 195
 - working with, 192–200
 - Final Term, 29
 - find, 665
 - finding executable files, 359–360
 - finger, 170, 171
 - flags, 752
 - floating-point math, 288–292
 - Fluxbox, 16
 - FNR variable, 596–597
 - folding marker, 252
 - for command, 331–340
 - changing field separator, 337–338
 - C-style, 341–343
 - multiple variables, 342–343
 - pipng output, 358–359
 - reading complex values in list, 333–335
 - reading directory using wildcards, 339–340
 - reading list from variable, 335–336
 - reading values from command, 336–337
 - reading values in list, 332–333
 - redirecting output to file, 358
 - for loops, 640–641
 - nested, 347–348
 - for statement, 609, 620
 - /etc/profile, 153
 - iterating parameters, 373–375
 - forking, 126, 127
 - format specifiers, 610
 - control letters, 610–611
 - modifiers, 611
 - format string, 610
 - formatted numbers, 544–545
 - formatted printing, 610–613
 - fragmentation, 189
 - FreeBSD, 623
 - FS variable, 592, 729
 - fsck, 199–200
 - fselect widget, 490, 491
 - function command, 631
 - function keyword, 450, 617–618
 - function() statement, 631
 - functions
 - array variables, 461–464
 - passing, 463–464
 - returning, 463–464
 - command line usage, 467–470
 - creating, 450
 - creating on command line, 468
 - dash shell, 631
 - default exit status, 453–454
 - defining in .bashrc file, 468–470
 - gawk
 - built-in, 613–617
 - creating library, 619–620
 - defining, 617–618
 - mathematical, 613–614
 - string, 615–616
 - time, 616–617
 - user-defined, 619–620
 - using, 618–619
 - get account name, 658–660
 - libraries, 465–467
 - parameter passing to, 456–459
 - recursion, 464–465
 - return command, 454–455
 - returning values, 453–456
 - scope, 466
 - stub, 479
 - using, 450–452
 - using output, 455–456
 - variables in, 456–461
 - global, 459–460
 - local, 460–461
 - parameter passing, 456–459
 - zsh, 641–642
 - mathematical, 640
 - Fvwm, 16
 - fvwm95, 16
- ## G
- gawk, 509–516, 536, 727, 730, 756–762
 - arrays, 600–602
 - deleting, 601–602
 - iteration through, 601–602
 - variable assignment, 600–601
 - bitwise manipulation, 614

gawk (continued)

- command format, 510, 756
- data field variables, 511–512, 759
- environment variables, 596
- features, 760–762
- formatted printing, 610–613
- functions
 - built-in, 613–617
 - creating library, 619–620
 - defining, 617–618
 - mathematical, 613–614
 - string, 615–616
 - time, 616–617
 - user-defined, 617–620
 - using, 618–619
- installing, 713
- intervals, 552
- matching operator, 761
- mathematical expressions, 761
- multiple commands in program script, 512–513, 757
- options, 756
- pattern matching, 602–605
 - matching operator, 603–604
- mathematical expressions, 604–605
- regular expressions, 603, 761
- print command, 593
- reading program file, 513–514, 757
- reading script from command line, 510–511, 757
- record variables, 759
- running scripts
 - after processing data, 514–515, 758
 - before processing data, 514, 757–758
- structured commands, 605–609, 761–762
 - do-while statement, 608–609
 - if statement, 605–607
 - for statement, 609
 - while statement, 607–608
- using, 757
- variables, 511–512, 591–600
 - ARGC, 595–596
 - ARGV, 595–596

- assigning in scripts, 598–599
- assigning on command line, 599–600, 760
- built-in, 592–598, 758
- data, 595–597
- data field, 592–595, 603
- ENVIRON, 596
- field and record separator, 592–595
- FIELDWIDTHS, 593–594
- FNR, 596–597
- FS, 592
- NF, 596–597
- NR, 596–597
- OFS, 592–593
- ORS, 594
- RS, 594
- user-defined, 598–600

- gdialog, 500
- gedit, 260–265
 - basic features, 262
 - plug-ins, 264–265
 - preferences, 262–265
- Gentoo, 18
- getopt command, 380–384
 - command format, 381
 - using in scripts, 382–384
- getopts command, 381, 384–386
- GID. *See* group ID
- global environment variables, 136–137
 - setting, 140–142
 - subshell, 137
- global variables, 135
 - in functions, 459–460
- GNOME desktop, 13, 29
- GNOME editor. *See* gedit
- GNOME graphical environment, 500–504
- GNOME Terminal, 29–35
 - accessing, 30–31
 - menu bar, 31–35
- gnome-terminal, 31
- GNU, 3, 9–11
 - gzip, 109
 - vim, 233
- GNU bash shell, 113–114
- GNU Network Object Model Environment. *See* GNOME desktop

- GNU utilities, 9–11
- grant command, 687
- graphical interfaces, elements, 25
- graphical terminals, 24–25, 28–29
- grep, 107–108, 299, 727–728
- group ID (GID), 172
 - changing, 175
 - system accounts, 173
- groupadd, 174
- grouping commands, 520–521
- grouping expressions, 553–554
- groupmod, 175
- groups, 172–175, 648–649
 - changing file ownership, 181–182
 - creating, 174
 - default, 322
 - /etc/group file, 173
 - modifying, 175
 - passwords, 173
 - system accounts, 173
- Guke, 29
- gunzip, 109
- gzcat, 109
- gzip, 109–110

H

- hard drives, device names, 193
- hard links, 68–70
- hardware management, 7–8
- hdparm, 196
- head, 82–83
- hidden files, 60
- history command, 128–131
- hold space, 567–569
- \$HOME, 275, 316–317
- HOME directory, 164–167, 271
- \$HOME startup files, 154–155
- \$HOME/.bash_login, 154–155
- \$HOME/.bash_profile, 154–155
- \$HOME/.bashrc, 157
- \$HOME/bin directory, 271
- \$HOME/.my.cnf file, 692–693
- \$HOME/.profile, 154–155
- hpf filesystem, 8
- HTML content, 699
- HTML tags, 727
 - removing, 586–588
- HTTP headers, 699
- Huffman coding, 109

I

IBM, 191
 IDE drives, 193
 if statement, 605–607
 archiving data files script, 647–648
 gawk, 605–607
 nested, 301–304
 IFS, 337–338
 IFS environment variable, 350–351
 if-then statements, 574
 compound testing, 324–325
 continue command, 355–357
 as test command alternative, 306
 working with, 297–300
 if-then-else statements, 300–301, 640–641
 incremental search, 248
 init process, 6
 init run levels, 6
 inline input redirection, 280–281, 291
 inner loop, 348
 breaking out, 353–354
 inode numbers, 69–70, 188
 inode table, 188, 189
 inodes, 188
 journaling, 189
 input redirection, 291
 inline, 280–281, 291
 scripting, 280–281, 402–403
 inputbox widget, 487–488
 INSERT, 690, 695–696
 insert command, 754
 insert command, 523–525
 insert mode, 236–237
 inserting text, 523–525, 577
 installing software
 aptitude, 215–217
 local, 224
 int(), 613–614
 interactive shell, 156
 internal field separator, 337–338
 interprocess communication, 95
 interrupting processes, 420–421
 intervals, 551–553
 IRIX Unix, 191
 iso9660 filesystem, 8, 98

J

JFS. *See* Journaled File System
 jfs filesystem, 8
 job control, 432
 job number, 421
 job queue, 439
 jobs
 background, 429–430
 controlling, 432–435
 restarting, 434–435
 scheduling, 438–441
 listing pending, 440–441
 output, 439–440
 removing, 441
 started, 421
 stopped, 421–422
 viewing, 432–434
 jobs, 122, 432–434
 Journaled File System (JFS), 191
 journaling filesystems, 189–192, 197
 methods, 189–190
 JWM, 16

K

K Desktop Environment (KDE).
 See KDE
 Kate editor, 256–260
 sessions, 257
 terminal window, 257–258
 KDE, 12–13, 35. *See also* Konsole
 Terminal
 editors, 251–260
 Kate, 256–260
 KWrite, 251–256
 kdialog, 496–499
 using, 498–499
 widgets, 496–497
 kernel, 4–9
 filesystem management, 8–9
 hardware management, 7–8
 software program
 management, 6–7
 system memory management, 5–6
 Kickoff Application
 Launcher, 35
 kill, 95–96, 432, 434, 664
 killall, 96
 Knoppix, 20

Konsole Terminal, 29, 30
 accessing, 35–36
 menu bar, 37–41
 korn shell, 10
 Kwin, 25
 KWrite, 251–256
 edit menu, 253–254
 Find feature, 254–255
 tools, 255
 kwrite command, 252–253

L

label parameter, 572–573
 Lam, Savio, 484
 LAMP. *See* Linux-Apache-MySQL-PHP
 leading blank lines, 585
 Lempel-Ziv coding, 109
 less, 80–81
 let command, 639
 libraries, 465–467
 function scope, 466
 sourcing, 467, 469
 LillyTerm, 29
 line addressing, 518–521, 752
 grouping, 520–521
 numeric, 519–520
 text pattern filters, 520
 line numbers, 529, 581–582
 lines
 listing, 529–530
 printing, 528–529
 printing numbers, 529
 linked files, 234
 linking files, 68–70
 links, 68–70
 symbolic, 77
 Linux, 3
 common directory names, 54–55
 desktop environment, 11–17
 distributions, 17–21
 file structure, 54
 GNU utilities, 9–11
 kernel, 4–9
 filesystem management, 8–9
 hardware management, 7–8
 software program
 management, 6–7

Linux (*continued*)
 system memory
 management, 5–6
 process signals, 95
 signals, 420
Linux console, 24
 CLI access, 25–28
Linux LiveCD, 19–21
Linux Mint, 212, 220
Linux-Apache-MySQL-PHP
 (LAMP), 681
LISP, 249
list parameter, 482
listing lines, 529–530
lists
 reading complex values in,
 333–335
 reading from variable, 335–336
 reading values in, 332–333
LiveCD, 3, 19–21
ln, 69
load average, 93, 94
local environment variables, 138
 setting, 139–140
local installation, 224
local keyword, 460–461
local variables, 135
 in functions, 460–461
log files, timestamps, 104
logging, scripting, 414–415
logging in, 26–27
logical partitions, 200
logical volume (LV), 200–201
 changing size, 209
 creating, 206–207
 LVM2 features for, 202–203
 managing, 200–209
 layout, 200–201
 with LVM, 203–209
Logical Volume Manager (LVM),
 200, 201–209
 commands, 209
 mirroring, 202–203
 modifying, 209
 snapshots, 202
 striping, 202
 using, 203–209
 creating filesystem,
 208–209
 creating logical volumes,
 206–207

 creating volume groups,
 205–206
 defining physical volumes,
 203–205
 versions, 202
login name, 161
login program, 163
login shell, 150–155
loops
 for, 640–641
 nested, 347–348
 controlling, 351–357
 break command, 352–354
 continue command,
 355–357
 on file data, 350–351
inner, 348
 breaking out, 353–354
nested, 347–350
outer, breaking out, 354
processing output, 358–359
until, 641
 nested, 349–350
while, 378, 640–641
 archiving data files script,
 647
 long messages, 717
 menu dialog, 495
 nested, 348–350
 reading files, 391–392
 text menus, 482
ls, 59–64
 basic listing, 59–61
 -F parameter, 59–60
 filtering output, 62–64
 -i parameter, 69
 inode numbers, 69
 -l parameter, 61–62
 -li parameter, 70
 long listing, 61–62
 -R parameter, 60–61
ls -l command, 285
LS_COLORS environment
 variable, 59
lsof, 408–410
LV. *See* logical volume
lvcreate, 206–207, 208
lvdisplay, 207
lvextend, 209
LVM. *See* Logical Volume Manager
lvreduce, 209

LXTerminal, 29
Lynx, 697–704
 capturing data from, 701–704
 command line, 699–700
 configuration file, 700–701
 -dump option, 701–702
 installing, 698–699
 scripting, 699–700
lynx command, 699–700
lynx.cfg, 700–701

M

mail, 706
mailutils, 704, 735
Mailx, 704–707
 command line parameters, 705
make, 231–232
man, 49–52, 197
man bash, 118
man -k *keyword*, 51
man pages, 49–52
 accessing, 49–50
 filesystem commands, 197
 keywords, 51
 section areas, 51
 section names, 50
man xterm, 49, 52
managing directories, 73–77
managing packages, aptitude,
 212–215
Mandriva, 212
 package management, 221
matching operator, 603–604, 761
math
 brackets, 287–288
 expr command, 285–286
 floating-point, 288–292
 gawk
 bitwise manipulation, 614
 built-in functions, 613–614
 pattern matching, 604–605
 scripting, 285–292
mathematical comparisons,
 325–326
mathematical functions, 640
Mauelshagen, Heinz, 201
media
 mounting, 97–99
 removable, 97, 98
 unmounting, 99–100

- urpm repositories, 228
- user access, 98
- meminfo, 495
- memory management, 5–6
 - pages, 6
 - swap space, 5–6
- menu scripts, 477
- menu widget, 489–490
- mesg, 710–711
- messages. *See also* Short Message Service
 - allowing, 710–711
 - checking if included, 715
 - checking if users accepting, 714–715
 - displaying from scripts, 272–273
 - error, 398
 - script for, 712–720
 - sending, 709–720
 - SMS, 732
 - transmitting
 - long, 716–720
 - simple, 715–716
- metacharacter wildcards, 63, 67
- Metacity, 25
- Microsoft Windows, 8, 11
- minix filesystem, 8
- Mint, 19, 212, 220
- Mir display server, 11, 25
- mirroring, 202–203
- mkdir, 73–74, 198, 654
- mke2fs, 196
- mkefs, 196
- mkfs.btrfs, 196, 197
- mkfs.ext3, 196
- mkfs.ext4, 196, 197, 208
- mkfs.xfs, 196
- mkfs.zfs, 196
- mkreiserfs, 196
- mktemp, 411–413, 495
- mktemp -t, 413
- monitoring
 - disk space, 96–102
 - scripting, 673–678
 - programs, 85–96
 - real-time process monitoring, 92–95
- more, 79–80
- mount, 97–99, 198, 208
- mount points, 53

- mounting, 97–100
 - automatic, 97
 - manual, 97–99
 - new filesystems, 197–198
 - unmounting, 99–100
 - virtual directories, 98
- moving files, 70–72
- mrxvt, 29
- msdos filesystem, 8
- msgbox widget, 486
- multiline commands, 561–567
 - delete, 566–567
 - next, 562–565
 - print, 567
- multiple background jobs, 429–430
- multiple commands, scripting, 269–270
- multi-word values, 334–335
- mv, 70–72
- mysql, 692
 - default output style, 695
 - e parameter, 693–694
 - EOF text in scripting, 694
 - redirecting output, 696
- MySQL, 681–697
 - connecting to server, 682–683
 - creating database, 685–686
 - creating table, 688–690
 - creating user account, 687–688
 - data types, 689
 - default password, 692–693
 - formatting data, 696–697
 - inserting and deleting data, 690–691
 - installing in Ubuntu, 682
 - querying data, 691–692
 - startup commands, 692–693
 - using in scripts, 692–697
- mysql client, 682–683
 - commands, 683–685
- mysql-client package, 214
- mysql-server package, 682

N

- \$n, 511
- n command, 562–563
- nano, 240–242

- ncp filesystem, 8
- negating character classes, 546
- nested loops, 347–350
- network browser, 25
- network device files, 7
- new line, 754
- next command, 562–565, 729
 - multi-line, 563–565
 - single-line, 562–563
- NF variable, 596–597
- nfs filesystem, 8
- nice, 436–437
- nodes, 8
- nohup, 430–431
- nohup.out, 431
- non-incremental search, 248
- non-interactive shell, 156–157
- normal mode, 236–237
- NR variable, 596–597
- ntfs filesystem, 8, 98
- number manipulation. *See* math
- numbering lines, 581–582
- numeric comparisons, 307–308
- numeric line addressing, 519–520

O

- Octal mode, 178
- OFS variable, 592–593
- open source software (OSS), 9
- OpenSolaris, 192
- openSUSE, 12, 18, 192, 212
 - package management, 221
- OPTARG environment variable, 384
- OPTIND environment variable, 384, 386
- options. *See* command line options
- ordered mode journaling, 189, 190
- ORS variable, 594
- OSS. *See* open source software
- outer loop, breaking out, 354
- output redirection, 397–398, 399–400
 - permanent, 401–402
 - scripting, 279–280, 400–402
 - temporary, 400–401
- output suppression, 410–411

P**Package Management System (PMS), 211–212****aptitude, 212–220****installing software packages, 215–217****main window, 213****managing packages, 212–215****repositories, 219–220****uninstalling software, 218–219****updating software, 217–218****urpm, 221****broken dependencies, 227****installing software, 224****listing installed software, 221****package details, 222****repositories, 228****uninstalling software, 225****updating software, 225****yum, 221–228****broken dependencies, 225–227****installing software, 223–224****listing installed packages, 221–223****repositories, 227–228****uninstalling software, 225****updating software, 224–225****zypper, 221****broken dependencies, 227****installing software, 224****listing installed software, 221****package details, 222****repositories, 228****uninstalling software, 225****updating software, 225****pager, 50****pages, 6****PAM. *See* Pluggable****Authentication Modules****parameters. *See also* command line parameters****dash shell****command line, 624–625****command-line, 624–625****positional, 627****list, 482****ls, 59–62, 69, 70****mysql, 693–694****passing arrays as, 462****passing to function, 456–459****positional, 366, 627****ps, 86–92, 116, 117****BSD-style, 89–91****GNU long, 91–92****Unix-style, 86–89****rm, 73, 76****testing, 370****useradd****change default values, 167****command line, 166–167****-D, 165, 167****parent directories, 74****parent process ID (PPID), 116****parent shell, child relationships, 115–125****parity entry, 202****partitions****changing type, 203–204****creating, 193–196****extended, 195****primary, 195****partprobe, 196****passwd, 169–170****passwords****aging, 171–172****changing, 169–170****group, 173****MySQL, 692–693****reading, 391****storage of, 163****PATH environment variable, 148–150, 165, 271, 359****pattern matching****double bracket command, 326–327****filtering file listings, 63–64****gawk, 602–605****matching operator, 603–604****mathematical expressions, 604–605****regular expressions, 603, 761****grep, 107–108****sed, 520, 526****pattern space, 563, 567, 570–571****/pattern/command, 753****pausing processes, 421–422****PCLinuxOS, 19****LiveCD, 20****permanent redirection, 401–402****permissions, 651****access triplets, 176–177****file, 175–179****changing, 179–181****codes, 177–179****comparisons by, 319–321****default, 177–179****Octal mode, 178****symbols, 176–177****group, 172****phone numbers, validating, 556–558****physical volumes (PV), 200****defining, 203–205****PID. *See* process ID****pipe character, 106, 553****pipes, 121****loop output, 358–359****reading from files, 391****scripting, 281–284****tee command, 414–415****PKZIP, 109****Pluggable Authentication Modules (PAM), 151****plus sign, 551****PMS. *See* Package Management System****positional parameters, 366, 627****POSIX Basic Regular Expression engine (BRE), 537****POSIX Extended Regular Expression engine (ERE), 537****Postfix, 704****PPID. *See* parent process ID****present working directory, 56–57****primary key, 689****primary partition, 195****print command, 593****printenv, 136, 138, 156****printf command, 610–613, 639, 675**

printing
 formatted, 610–613
 last lines, 582–584
 lines, 755
 priority, 436
 proc filesystem, 8
 process, 116
 background, 123–124
 co-processes, 121, 124–125
 examining, 85–92
 forking, 126, 127
 init, 6
 interrupting, 420–421
 pausing, 421–422
 real-time monitoring, 92–95
 removing for account, 662–664
 signals, 95
 state code, 91
 stopping, 95–96
 user-defined local variables, 140
 process ID (PID), 86
 background mode scripts, 428
 jobs, 122
 kill command, 95
 open file descriptors, 409
 process lists, 119–121
 background, 123–124
 co-processing, 124–125
 .profile file, 445
 profile.d, 153–154
 programs
 default shell, 113
 gawk scripts
 multiple commands, 512–513, 757
 reading file, 513–514, 757
 login, 163
 management, 6–7
 monitoring, 85–96
 proxy servers, 701
 ps, 85–92, 126
 background mode commands, 122
 BSD-style parameters, 89–91
 -ef parameter combination, 88
 exit status, 662
 -f parameter, 116, 117

 -forest parameter, 117
 GNU long parameters, 91–92
 Unix-style parameters, 86–89
 ps -forest, 129
 psql, 696
 Puppy Linux, 19
 LiveCD, 20
 Puppy Linux antiX, 16
 PV. *See* physical volume
 pvcreate, 204
 pvdisplay, 204–205
 pwd, 56–57, 127, 298

Q

-qa parameters, 282
 question mark, 550

R

radiolist widget, 497
 RAID striping, 202
 rand(), 614
 range address, 584
 ranges, 546–547
 read access, 317–318
 read command, 388–389, 403, 406, 647, 657
 from file, 391–392
 menu functions, 479, 480
 with no display, 391
 sed, 531–533
 timing out, 389–391
 reading from file
 gawk, 513–514, 757
 pipes, 391
 sed, 508–509, 755–756
 while loop, 391–392
 read-write snapshots, 202
 real-time process monitoring, 92–95
 records, 688–690
 recovery commands, 198
 recursion, 464–465
 Red Hat Linux, 13, 17. *See also* RHEL
 package management, 221–228
 Red Hat Package Management system (RPM), 282

redirection
 creating, 403–408
 errors, 398–400
 file, 416, 694
 loop output, 358
 file descriptors, 404–405
 input, 291, 402–403
 inline, 280–281, 291
 scripting, 280–281
 mysql output, 696
 output, 279–280, 397–398
 permanent, 401–402
 in scripts, 400–402
 sed scripts, 578–579
 temporary, 400–401
 output and errors, 399–400
 regular expression engine, 537
 regular expressions, 108, 520
 BRE patterns, 537–549
 building, 556
 case sensitivity, 538
 characters
 anchor, 540–542
 asterisk, 548–549
 braces, 551–553
 character classes, 543–545
 dot character, 542–543
 escape, 539–540
 negating character classes, 546
 pipe symbol, 553
 plain text, 537–539
 plus sign, 551
 question mark, 550
 ranges, 546–547
 special, 539–540
 special character classes, 547–548
 special characters, 539–540
 combining anchors, 542
 counting directory files, 554–555
 defining, 535–536
 gawk, 603, 761
 grouping expressions, 553–554

regular expressions (*continued*)
 intervals, 551–553
 parsing e-mail addresses,
 558–560
 types, 536–537
 validating phone numbers,
 556–558
 whitespace, 539
Reiser, Hans, 190
Reiser4 filesystem, 191, 192
ReiserFS filesystem, 8, 190–191
relational database, 688
relative directory references,
 57–59, 66
removable media, 97, 98
removing files, 72–73
removing HTML tags, 586–588
renaming files, 70–72
renice, 437
repairing filesystems, 198–200
repeat command, 641
replacement strings, 575–576
replace-string, 248
repositories, 211
 aptitude, 219–220
 urpm, 228
 yum, 227–228
 zypper, 228
restarting jobs, 434–435
return command, 454–455
RHEL, 29, 191, 192
rjs_mkfs, 196
rm, 72–73
 -f option, 76
 -i parameter, 73
 -r option, 75–76
 -R parameter, 76
rmdir, 74–75
rolling window, 582–583
root directory, 53
root drive, 53
root MySQL account, 687
root user account, 163
 changing file ownership, 182
 /etc/shadow file, 164
 mounting media, 97
ROXTerm, 29
rpm, 212, 281–283
RPM. *See* Red Hat Package
 Management system

rpmfusion.org, 228
rpm.list, 282
RS variable, 594
run level, 6–7
run-parts, 444
rxvt, 29
rxvt-unicode, 29

S

s command, 563–564
Sakura, 29
SATA drives, 193
scale, 289
scheduling
 jobs, 438–441
 regular scripts, 441–445
scheduling priority, 436
scope, function, 466
screen scraping, 701–704
script exits, trapping, 423–424
script name, reading, 368–370
scripting
 archiving data files, 645–656
 configuration file, 646–648
 creating daily archive
 location, 648–649
 daily archive script,
 649–652
 hourly archive script,
 652–656
 background mode, 427–429
 bc, 289–292
 comment line, 270
 creating file, 270–272
 creating multiple user
 accounts, 361–362
 dash shell, 629–631
 arithmetic, 629–630
 function command, 631
 test command, 630–631
 dialog command in, 493–495
 displaying messages, 272–273
 excuse generator, 731–737
 creating script, 735–737
 e-mail to SMS gateways,
 734–735
 sending SMS message,
 732–734
 exiting, 292–295
 file descriptors
 closing, 407–408
 listing open, 408–410
 redirection, 403–408
 finding executable files,
 359–360
 floating-point math, 288–292
 functions, 449–452
 array variables, 461–464
 command line usage,
 467–470
 creating, 450
 creating on command line,
 468
 default exit status, 453–
 454
 defining in .bashrc file,
 468–470
 global variables, 459–460
 libraries, 465–467
 local variables, 460–461
 parameter passing to,
 456–459
 passing arrays, 461–463
 return command, 454–455
 returning arrays, 463–464
 returning values, 453–456
 scope, 466
 using, 450–452
 using output, 455–456
 variables in, 456–461
 gawk, assigning in scripts,
 598–599
 getopt command in, 382–384
 getting quotes, 720–731
 checking web addresses,
 724–726
 parsing out information,
 727–731
 testing web addresses,
 723–724
 web page information, 726
 input redirection, 280–281,
 402–403
 logging, 414–415
 lynx, 699–700
 managing user accounts,
 656–673
 creating script for, 665–671
 determining existence,
 661–662
 finding files, 664–665

- getting name, 657–660
- removing account, 665
- removing processes, 662–664
- running script for, 671–673
- verifying name, 660–661
- monitoring disk space, 673–678
- multiple commands, 269–270
- options, 376–386
 - processing, 377
 - processing with values, 379–380
 - separating from parameters, 378–379
- output redirection, 279–280, 400–402
- parameters, 365–370
 - command line, 365–370
 - counting, 371–373
 - reading, 366–368
 - script name, 368–370
 - shifting, 375–376
 - special variables, 371–375
 - testing, 370
- performing math, 285–292
- pipes, 281–284
- redirecting input and output, 279–281
- running without hang-up, 430–431
- scheduling, 441–445
- sed commands in, 577–579
 - redirecting output, 578–579
 - wrappers, 578
- starting with new shell, 445
- suppressing output, 410–411
- temporary files, 411–414
- text strings, 272
- user input, 388–392
- using database in, 692–697
 - formatting data, 696–697
 - logging in, 692–693
 - sending commands, 693–696
- variables, 274–278
 - environment, 274–275
 - user, 275–277
- zenity in, 501–503
- zsh, 638–642
- scrollback buffer, 39
- SCSI drives, 193
- searching data, 107–108
- security settings
 - changing, 179–182
 - Octal mode, 178
- sed editor, 505–509, 536, 675, 727, 751–756
 - &, 576
 - address pattern, 574
 - addresses, 518–521
 - branch command, 572–574
 - branching, 572–574
 - changing lines, 525–526
 - characters
 - replacing, 518
 - transforming, 527
 - command options, 506, 751
 - commands
 - addressing, 752–753
 - changing lines, 754–755
 - defining, 506–507
 - deleting lines, 753–754
 - inserting and appending text, 523–525, 754
 - printing lines, 755
 - reading from file, 508–509, 755–756
 - substitution, 752
 - transform command, 755
 - writing to file, 755
 - d command, 566–567
 - deleting lines, 521–523
 - files, 530–533
 - reading, 531–533
 - writing, 530–531
 - G command, 579–581
 - hold space commands, 567–569
 - inserting and appending text, 523–525, 754
 - inserting text, 577
 - label parameter, 572–573
 - line addressing, 752
 - multiline commands, 561–567
 - delete, 566–567, 729
 - next, 562–565, 729
 - print, 567
 - multiple commands, 507–508
 - n command, 562–563
 - N command, 563–565
- negating commands, 569–572
- options script file, 751
- P command, 566–567
- parsing web data, 703
- printing, 517, 527–530
 - line numbers, 529
 - lines, 528–529
 - listing lines, 529–530
- replacement via pattern, 575–577
- replacing individual words, 576–577
- s command, 507, 563–565
- script flow, 572–575
- in scripts, 577–579
 - redirecting output, 578–579
 - shell script wrappers, 578
- starting, 751–756
- substitution flags, 516–518
- testing, 574–575
- text strings, 537–538
- utilities, 579–588
 - deleting consecutive blank lines, 584–585
 - deleting leading blank lines, 585
 - deleting lines, 584–586
 - deleting trailing blank lines, 586
 - numbering lines, 581–582
 - printing last lines, 582–584
 - removing HTML tags, 586–588
 - spacing files with blanks, 580–581
 - spacing with double lines, 579–580
- select command, 482–483, 641
- SELECT command, 691–692
- self-containment, 464
- semicolon, 269, 270
- sendhub.com, 732
- sendmail, 704
- serial cable, 23
- set, 138, 382, 626
- set group ID (SGID), 183–184
- set user ID (SUID), 183
- setterm, 27–28
 - options, 28

- setterm -background white, 27
- setterm -foreground black, 27
- setterm -inversescreen on, 27
- SGI. *See* Silicon Graphics Incorporated
- SGID. *See* set group ID
- shadow file, 163
- sharing files, 182-184
- shell, 10-11
 - built-in commands, 125-132
 - function scope, 466
 - interactive, 156
 - non-interactive, 156-157
 - parent and child relationships, 115-125
 - starting scripts with new, 445
 - types, 113-115
- shell escape character, 286
- shell prompt, using, 48-49
- shell script, 269-270
 - interactive, 477
- shell script wrappers, 578
- shell scripts, 10, 156
 - multi-processing, 121
- shift, 375-376, 378, 716-717
- Short Message Service (SMS), 732
- SHOW command, 684-685
- SIGCONT, 432
- SIGHUP, 420, 431, 434
- SIGINT, 420-421, 422-423, 426
- SIGKILL, 422
- signaling, 127
 - bash shell, 419-420
- signals, 127
 - EXIT, 423-424
 - generating, 420-422
 - Linux, 420
 - process, 95
 - TERM, 95
 - trapping, 422-423
- SIGQUIT, 420
- SIGTERM, 420
- SIGTSTP, 421
- Silicon Graphics Incorporated (SGI), 191
- single quotation marks, 333-334
- single-user mode, 6
- Slackware, 17, 20
- Slax, 20
- sleep, 121-122, 421
 - background process list, 123-124
- smb filesystem, 8
- SMS. *See* Short Message Service
- SMS gateways, 734
- snapshots, 202, 203
- software, installing
 - package management, 211-228
 - from source code, 228-232
- software program management, 6-7
- sort, 102-106, 283, 674-675
- sorting data, 102-106
- source command, 467, 469
- sourcing function files, 469-470
- spacing files with blanks, 580-581
- s/pattern/replacement/flags*, 752
- special character classes, 547-548
- special characters, 539-540
 - dot character, 542-543
- split, 616
- SQL. *See* Structured Query Language
- square brackets, 543-545
- st, 29
- standard file descriptors, 395-398
- standard input, 388-389
- startup files, 150, 154, 445
 - \$HOME, 154-155
- STDERR, 398
 - dialog widget output, 485
 - redirecting, 398-400, 485
 - redirection
 - permanent, 401-402
 - temporary, 400-401
- STDIN, 396-397
 - gawk input, 510
 - redirecting, 402-403
 - sed input, 506
- STDOUT, 397-398
 - gawk output, 510
 - redirection
 - alternative file descriptor, 404-405
 - permanent, 401-402
 - temporary, 400-401
- sed output, 506, 507
- sticky bit, 178, 183
- storage devices, 53
- stream editor, 505
- strftime, 617
- string comparisons, 308-313
 - equality, 309-310
 - order, 310-312
 - size, 312-313
- string delimiters, 518
- string parameter expansion, 724-725
- strings
 - EOF text, 291-292
 - bash key combination, 511
 - mysql scripting, 694
 - format, 610
 - gawk functions, 615-616
 - replacement, 575-576
 - scripting, 272
 - sed, 537-538
- striping, 202
- structured commands, 297
 - gawk, 605-609
 - do-while statement, 608-609
 - if statement, 605-607
 - for statement, 609
 - while statement, 607-608
 - gawk program, 761-762
 - zsh, 640-641
- Structured Query Language (SQL), 684
- stub functions, 479
- su, 224
- subshell, 117, 121
 - background mode commands, 121-123
 - background process lists, 123-124
 - command substitution, 279
 - environment variables, 142
 - global, 137
 - examining co-processing, 124-125
 - forking, 126, 127
 - global environment variables, 137
 - uses of, 121-125
 - substitution command, 563-565, 752

- individual word replacement, 576–577
- parentheses in, 576
- substitution flags, 516–518, 752
- sudo, 217, 664
 - mounting media, 97
- SUID. *See* set user ID
- Sun Microsystems, 192
- suppressing command output, 410–411
- swap space, 5–6
- swapping out, 6
- symbolic links, 68–70, 77, 624
- sysstat, 228–229
- sysstat, 231–232
- system accounts, 163
 - groups, 173
- system environment variables, 136
 - interactive shell, 156
 - locating, 150–157
 - login shell, 150–155
 - non-interactive shell, 156–157
- system information, 93
- system memory, status, 94
- system memory management, 5–6
- systemtime, 617
- sysv filesystem, 8

T

- tab activity, 39
- tab auto-complete, 68
- tab silence, 39
- tables, creating in MySQL, 688–690
- tac command, 572
- tail, 81–82
- tailpacking, 191
- tar, 110–111, 646
- tarball, 110–111, 228, 646
- tasks, 94
- tcsh, 114
- tcsh shell, 10
- tee, 414–415
- Tektronix 4014, 41
- teletypewriter, 26
- temporary directory, 413–414
- temporary files, 411–414
- temporary redirection, 400–401

- TERM signal, 95
- terminal (TTY), 86
- terminal emulation, 24–25, 28–29
 - color, 59
- Terminator, 29
- Terminology, 29
- test command, 304–324, 340, 574–575, 630–631
 - file comparisons, 313–324
 - checking directories, 314–315
 - checking for file, 316–317
 - checking for object existence, 315–316
 - date, 322–324
 - default group, 322
 - empty files, 318–319
 - execute permission, 321
 - ownership, 321–322
 - read access, 317–318
 - write permission, 319–320
 - numeric comparisons, 307–308
 - string comparisons, 308–313
 - equality, 309–310
 - order, 310–312
 - size, 312–313
- test commands, 343–344
 - multiple, 344–346
- testing parameters, 370
- text
 - inserting, 577
 - inserting and appending with sed, 523–525
 - manipulating, 505–516
 - removing HTML tags from, 586–588
- text menus
 - creating, 477–483
 - menu functions, 479–480
 - menu layout, 478–479
 - menu logic, 480–481
- text mode virtual consoles, 26
- text pattern filters, 520, 526
- text strings
 - EOF, 291–292
 - bash key combination, 511
 - mysql scripting, 694
 - scripting, 272
 - sed, 537–538
- textbelt.com/text, 732–734

- textbox widget, 488–489
- tilda, 29
- time
 - epoch, 617
 - gawk, functions, 616–617
- timestamps
 - anacron, 444
 - hourly backups, 652–653, 655
 - log files, 104
 - renaming files, 71
- /tmp directory, 411
- top, 93–95
- Torvalds, Linus, 4–5
- touch, 64, 177
- trailing blank lines, 586
- transform command, 755
- transform command, 527
- trap, 422–423, 425
- trapping script exit, 423–424
- trapping signals, 422–423
- traps
 - modifying or removing, 424–427
 - script exits, 423–424
- tty, 26
- TTY. *See* terminal
- type, 126
 - filesystems, 196–197
- typeset command, 639

U

- Ubuntu Linux, 19, 212, 220
 - default shell, 624
 - /etc/profile, 151
 - GNOME terminal, 30
 - installing MySQL, 682
 - LiveCD, 20
 - ls alias, 131
 - Lynx configuration file location, 700
 - Mir display server, 11
 - PATH environment variable, 148
 - Unity desktop, 13–14
- ufs filesystem, 8
- UID. *See* user ID
- \$UID, 275
- umask, 177–179
- umount, 99–100
- umsdos filesystem, 8

- uninstalling software, aptitude, 218–219
- Unity desktop, 13–14, 30
- University of California, Berkeley, 89
- unmounting media, 99–100
- unset, 143
- until command, 346–347
- until loops, 641
 - nested, 349–350
- updating software, aptitude, 217–218
- URLs, 721
 - checking, 724–726
 - testing, 723–724
- urpm, 221
 - broken dependencies, 227
 - installing software, 224
 - listing installed software, 221
 - package details, 222
 - repositories, 228
 - uninstalling software, 225
 - updating software, 225
- USB memory sticks, 21
- \$USER, 275
- user accounts, 161
 - creating multiple, 361–362
 - managing, 656–673
 - creating script for, 665–671
 - determining existence, 661–662
 - finding files, 664–665
 - getting name, 657–660
 - removing account, 665
 - removing processes, 662–664
 - running script for, 671–673
 - verifying name, 660–661
- MySQL, 687–688
- root, 163
 - changing file ownership, 182
 - /etc/shadow file, 164
 - mounting media, 97
- user ID (UID), 161, 274
 - reserved, 163
- user input, 388–392
- user variables, 275–277
- useradd, 164–168
 - parameters
 - change default values, 167

- command line, 166–167
 - D, 165, 167
- user-defined variables, 138–142
 - dash shell, 627
 - gawk, 598–600
 - global, 140–142
 - local, 139–140
- userdel, 168
- usermod, 169
 - adding users to groups, 173
- users
 - adding new, 164–168
 - checking if accepting messages, 714–715
 - checking if logged in, 713–714
 - creating multiple accounts, 361–362
 - currently logged in, 710
 - file ownership, 181–182
 - media access, 98
 - modifying, 168–172
 - processes, 662–664
 - removing, 168
- /usr/bin/batch, 439
- /usr/sbin directory, 165
- UXterm, 29

V

- variable arrays, 158–159
- \${variable} format, 275
- variables. *See also* environment variables
 - command substitution, 277–279
- functions
 - output assignment to, 455–456
 - using, 456–461
- gawk, 511–512, 591–600
 - ARGC, 595–596
 - ARGV, 595–596
 - array variable assignment, 600–601
 - assigning in scripts, 598–599
 - assigning on command line, 599–600
 - built-in, 592–600, 759–760
 - data, 595–597
 - data field, 592
- ENVIRON, 596
- field and record separator, 592–595
- FIELDWIDTHS, 593–594
- FNR, 596–597
- FS, 592
- NF, 596–597
- NR, 596–597
- OFS, 592–593
- ORS, 594
- RS, 594
- multiple, 342–343
- reading list from, 335–336
- scripting, 274–278
 - special parameter variables, 371–375
- user, 275–277
- user-defined, 138–142
 - dash shell, 627
 - gawk, 598–600
 - global, 140–142
 - local, 139–140
- /var/spool/anacron, 444
- /var/spool/at, 438
- vfat filesystem, 8, 97, 98
- VFS. *See* Virtual Files System
- VG. *See* volume group
- vgchange, 209
- vgcreate, 205
- vgdisplay, 205
- vgextend, 209
- vgreduce, 209
- vgremove, 209
- vi, 234–235
- vi editor, 233
- viewing file contents, 77–83
- vim, 233–240
 - basics, 235–237
 - copying and pasting, 238–239
 - editing, 238
 - installing, 235
 - modes, 236–237
 - searching and substituting, 239–240
 - visual mode, 239
- vim, 505
- virtual consoles, 24, 25–28
 - appearance, 27
 - text mode, 26
- virtual directories, 53, 57
 - mounting media, 98

Virtual Files System (VFS), 9
 virtual memory, 5, 6
 visual mode, 239
 volume group (VG), 200
 creating, 205–206
 VT102, 41, 42
 VT220, 41, 42

W

w command, 530–531
 Wayland, 11
 Wayland Compositor, 25
 wc command, 280
 web addresses, 721
 checking, 724–726
 testing, 723–724
 web page information, 726
 wget, 720–722
 --spider option, 724
 WHERE clause, 691, 692
 which, 126, 243–244
 while command, 343–346, 361
 format, 343–344
 multiple test commands,
 344–346
 while loop, 378, 640–641
 archiving data files script, 647
 long messages, 717
 menu dialog, 495
 nested, 348–350
 reading files, 391–392
 text menus, 482
 while statement, 607–608
 who, 269–270, 397, 710
 -s option, 710
 -T option, 710–711, 714
 whoeson, 495
 widgets libraries, 25
 kdialog, 496–499
 zenity, 500–504
 wildcard characters, 63, 535–536
 aptitude search, 215
 cron tables, 442
 killall command, 96
 reading directory using,
 339–340

 replacement strings, 575–576
 string parameter expansion,
 724–725
 wildcard metacharacters, 63, 67
 window manager, 25
 writable-snapshot, 192
 write, 711–712, 715–716
 write access, 319–320
 writeback mode journaling, 189,
 190, 192
 writing to file, 755
 Wterm, 29

X

X Intrinsics, 25
 X Window system, 7, 11–12, 496
 xargs command, 663–664
 Xfce, 16
 Xfce4 Terminal, 29
 XFS filesystem, 8, 191–192
 XML. *See* Extensible Markup
 Language
 Xserver, 25
 xterm, 29, 41–44
 accessing, 42–43
 command line parameters,
 43–44
 man page, 49

Y

Yahoo! weather, 702–704
 Yakuake, 29
 yesno widget, 487
 yum, 221–228
 broken dependencies,
 225–227
 installing software,
 223–224
 listing installed packages,
 221–223
 repositories, 227–228
 uninstalling software, 225
 updating software,
 224–225
 yum clean all, 226

yum deplist, 226
 yum erase, 225
 yum install, 223, 244
 yum list, 224, 243
 yum list installed, 221
 yum localinstall, 224
 yum remove, 225
 yum update, 224, 227

Z

z shell. *See* zsh
 zenity, 500–504
 using in scripts, 501–503
 widgets, 500–501
 zero, 292
 ZFS filesystem, 192, 199
 zftp, 638
 zip, 109, 110
 zip files, 108–109
 zmodload command, 637–638
 zsh (zshell), 10, 288
 built-in commands, 633–638
 add-in modules, 636–637
 core, 634–636
 viewing, adding, removing
 modules, 637–638
 options, 632–633
 scripting, 638–642
 calculations, 639–640
 functions, 641–642
 mathematical functions,
 640
 mathematical operations,
 639–640
 structured commands,
 640–641
 zsh/mathfunc module, 640
 zypper, 221
 broken dependencies, 227
 installing software, 224
 listing installed software,
 221
 package details, 222
 repositories, 228
 uninstalling software, 225
 updating software, 225